OIPE

RAW SEQUENCE LISTING [illegible]
[illegible]: US/09/615,606A [illegible]

Input Set : E:\JULSOYREG.rpt
Output Set: N:\CRF4\02242003\I615606A.raw

<110> APPLICANT: Abad, Mark S.
Buehler, Robert E.
Byrum, Joseph R.
Coombs, Brian E.
Heck, Gregory R.
La Rosa, Thomas J.
Nelson, Donald E.
Shukla, Hridayabhiranjan
Thompson, Michael D.
<120> TITLE OF INVENTION: Nucleic Acid Molecules And Other Molecules Associated With Plants
<130> FILE REFERENCE: 38-21(15444)C
<140> CURRENT APPLICATION NUMBER: 09/615,606A
<141> CURRENT FILING DATE: 2000-07-13
<160> NUMBER OF SEQ ID NOS: 91663
<210> SEQ ID NO: 1
<211> LENGTH: 357
<212> TYPE: DNA
<213> ORGANISM: Glycine max
<220> FEATURE:
<223> OTHER INFORMATION: Clone ID: [illegible]
<400> SEQUENCE: 1
atttcctttt tggatttgat aatattaaga ggaaccagga tagataggta ggttctagcc 60
tttctgttat cattttcgaa acaaaccaaa ttgaaactgt ttgagttttg tttagaaggc 120
tgttatgaat gaaactttga agcttagaaa agcggttagg tagctaggtt tcagtttcag 180
[illegible] 240
[illegible]
[illegible]
<210> SEQ ID NO: 2
<211> LENGTH: [illegible]
<212> TYPE: DNA
<213> ORGANISM: Glycine max
<220> FEATURE:
<223> OTHER INFORMATION: Clone ID: [illegible]
<400> SEQUENCE: 2
[illegible]

RAW SEQUENCE LISTING DATE: [illegible]
PATENT APPLICATION: US/09/615,606A TIME: [illegible]

Input Set : E:\JULSOYREG.rpt
Output Set: N:\CRF4\02242003\I615606A.raw

```
[illegible] <211> LENGTH: 351
[illegible] <212> TYPE: DNA
[illegible] <213> ORGANISM: Glycine max
[illegible] <220> FEATURE:
[illegible] <223> OTHER INFORMATION: Clone ID: [illegible]
[illegible] <400> SEQUENCE: 3
79 attagattca gattgtggcc gtgacagcca gcagcaatat ctctaaactc gaaaaatgga     60
81 tcagcgaaag ctacgagact cgtccaattc gaaatccgct tcagatgcag cacccaaaca    120
83 cgtcactctc acctctaacc gcttcccaa ctctcaagct gctgtgaggg agagagagaa    180
85 agagaagggt gaaggggaaa acgaggatcc aagtgcggca cgaaaggttc taaaggcaga    240
87 ccgcgagaag ctcagaaggg atcgactcaa cgaacacttc caagagttgg gaaacgcgtt    300
89 agatcctgat agatcaaaga atgacaaggc aactatcctc actgagaacg t             351
92 <210> SEQ ID NO: 4
93 <211> LENGTH: 369
94 <212> TYPE: DNA
95 <213> ORGANISM: Glycine max
97 <220> FEATURE:
98 <223> OTHER INFORMATION: Clone ID: LIB3027-010-Q1-B1-B7
100 <400> SEQUENCE: 4
102 gatgagctta ttgcgaatgc tgcttacatt ggcactcctg gaaagggtat tcttgctgct     60
104 gatgagtcaa cagggacaat tggcaagcgt ttggctagca tcagtgtaga gaatgttgaa    120
106 tccaacaggc gtgctcttag ggagctgctt ttcaccgctc ccggtgctct taaatatctc    180
108 agtggtgtca tcctctttga ggaaactctc taccagagca cagctgcagg caagcccttt    240
110 gtggaagtct tgaaggaggc tggtgtgctt cctggcatca aggttgacaa gggcacagtt    300
112 gagcttgctg gcactaatgg agaaaccacc actcagggtc tagatggcct tggtcagcgt    360
114 tgcgcaaag                                                            369
117 <210> SEQ ID NO: 5
118 <211> LENGTH: 346
119 <212> TYPE: DNA
120 <213> ORGANISM: Glycine max
122 <220> FEATURE:
123 <223> OTHER INFORMATION: Clone ID: LIB3027-004-Q1-B1-D6
125 <400> SEQUENCE: 5
127 caagagatca aggactgttt gagttatgtt tacagatatt ggactgaaaa gggtatttgt     60
129 tgggcaagaa attcaaatgt tcaagacatt gatgacacgg caatgggttt cagactatta    120
131 agattacacg gttacaaagt ttcagacgat gtgttcaaga actttgagag aaatggtgaa    180
133 ttttcctgct ttacggggca gatcacacaa ggagtgacag gaatgtttaa tctgtatagg    240
135 [illegible]                                                          300
137 [illegible] ataaat                                                   346
140 <210> SEQ ID NO: 6
141 <211> LENGTH: 384
142 <212> TYPE: DNA
143 <213> ORGANISM: Glycine max
145 <220> FEATURE:
146 <223> OTHER INFORMATION: Clone ID: LIB3027-[illegible]-Q1-B1-F[illegible]
148 <400> SEQUENCE: 6
150 [illegible]                                                          60
152 [illegible]                                                          120
154 [illegible]                                                          180
```

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/615,606A

Input Set : E:\JULSOYREG.rpt
Output Set: N:\CRF4\02242003\I615606A.raw

16 <210> SEQ ID NO: 7
165 <211> LENGTH: 334
166 <212> TYPE: DNA
167 <213> ORGANISM: Glycine max
169 <220> FEATURE:
170 <223> OTHER INFORMATION: Clone ID: LIB3027-011-Q1-B1-F5
172 <400> SEQUENCE: 7
173 aattccctta agaagctgtc attgtaaatg ttatatgtag tagtggacgt ggtggtttac 60
177 ttacnactgc ttggattagt tctgcagtta acaatcgctc ctcagatatc aacaaaaaga 120
179 ttcgnacagc acttgggaaa ggtaagaaaa ttgttttttt tactagagtt gatccttttc 180
181 nagnagctct actgcctgtt ttttttgggg ttaagaatga aattctgagt tccaacgcca 240
183 ttaancctat gctgacgcga cttcttgaga actgtaacag tctcaaatat ctggttgatg 300
185 agtgncctit tgcatttgtg aactagtatg taat 334
187 <210> SEQ ID NO: 8
189 <211> LENGTH: 338
190 <212> TYPE: DNA
191 <213> ORGANISM: Glycine max
193 <220> FEATURE:
194 <223> OTHER INFORMATION: Clone ID: LIB3027-011-Q1-B1-F6
196 <400> SEQUENCE: 8
198 ttgncagaa acggccnaat tgaaacactc caagaaaata agcatcggaa cgtccaaacc 60
200 tgaacaaatt gcttccgctt catctcaccc tatagacacc aaacaaggca acaccaccat 120
202 ncaacagata aaaaagcaca ttccanaagg aacgcgacca aaacnaaacc ccaattccac 180
204 ggagcnaatt taaacaaaac ttttgtctaa tgaaaatta atnatagttt gaattattgc 240
206 aaagtcttca aagtnttct ttaatttgtt cttcnaatcc ttcnaattcc ttatgtgtcc 300
208 tatacgaggg gacaatnggc aaattgttaa tggttta 338
211 <210> SEQ ID NO: 9
212 <211> LENGTH: 297
213 <212> TYPE: DNA
214 <213> ORGANISM: Glycine max
216 <220> FEATURE:
217 <223> OTHER INFORMATION: Clone ID: LIB3027-011-Q1-B1-F8
219 <400> SEQUENCE: 9
221 gtgcnaccaa taaaagnaag ggatagnaaa ttaagaatna gtgttttgcg atccacgaag 60
223 gagcacaatt ggaagcnaag ttcccccgtt tcgtcttcta taaaaacaat gttaaatcat 120
225 tatacttttc tatgatnggg attgtttcct tgtcttttct ctttgtttta tgaatatgcg 180
227 tgtattttaa cagttgtaaa tcactgcccc ctgcgcgtat gatcnatgtg ttttcaactc 240
229 gtcnagtttg cacnngttct aaaattaata gtagatatac ttaatgaaat tatattc 297
232 <210> SEQ ID NO: 10
233 <211> LENGTH: 276
234 <212> TYPE: DNA
235 <213> ORGANISM: Glycine max
237 <220> FEATURE:
238 <223> OTHER INFORMATION: Clone ID: LIB3027-011-Q1-B1-G1
240 <400> SEQUENCE: 10

RAW SEQUENCE LISTING
[illegible] US/09/615,606A [illegible]

[illegible] : E:\JULSOYREG.rpt
[illegible] : N:\CRF4\02242003\I615606A.raw

```
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
    <210> SEQ ID NO: 11
254 <211> LENGTH: 35[illegible]
255 <212> TYPE: DNA
256 <213> ORGANISM: Glycine max
    <220> FEATURE:
259 <223> OTHER INFORMATION: Clone ID: LIB3027-011-Q1-B1-G2
261 <400> SEQUENCE: 11
263 aacttattaa cactttcctt agttcaatat ggggaagccc ttcttcactc tctctctttc   60
265 ttccctttgc ttgctactct tgtcgagtgc atgctttgct attacctcca gcaagttcaa  120
267 cgagtgccaa ctcaacaacc tcaacgcgtt ggaacccgac caccgcgttg agtccgaagg  180
269 tggtcttatt gaaacatgga actctcaaca cctgagctg caatgcgccg gtgtcactgt  240
271 ttccaaacgc accctcaacc gcaacggcct ccacttgcca tcttactcac cttatcccca  300
273 aatgatcatt gtcgttcaag ggaagggagc aattggattt gcatttccgg gatgtcctg   359
276 <210> SEQ ID NO: 12
277 <211> LENGTH: 344
278 <212> TYPE: DNA
279 <213> ORGANISM: Glycine max
281 <220> FEATURE:
282 <221> NAME/KEY: unsure
283 <222> LOCATION: (1)..(344)
284 <223> OTHER INFORMATION: unsure at all n locations
286 <220> FEATURE:
    <223> OTHER INFORMATION: Clone ID: LIB[illegible]-[illegible]11-Q1-[illegible]1-[illegible]
    <400> SEQUENCE: 12
[illegible]
293 gaaaaagttg tattgaaatt ttcacaagag gaatttctta cagcttggtc aactcaggtg  120
295 ggtcctgcaa caactctgtt ggctgatggg tgtccatatt tgtatgcaat ggtgcatgat  180
297 agttcagtgt ctacaatacc aggtgatttt gtcattggtg tcaagttgac aaccataaac  240
299 aatatgtgtg catatgggct caatcctggt atttcaggtt ctcgtctttt gggcaccatt  300
W--> 301 cctcagtcca tttcacagca nactgtttgg aatcaaatgg caac                 344
    <210> SEQ ID NO: 13
305 <211> LENGTH: 234
    <212> TYPE: DNA
    <213> ORGANISM: Glycine max
    <220> FEATURE:
    <223> OTHER INFORMATION: Clone ID: LIB[illegible]27-011-Q1-[illegible]1-G7
    <400> SEQUENCE: 13
[illegible]
[illegible]
[illegible]
[illegible]
    <210> SEQ ID NO: 14
    <211> LENGTH: [illegible]
    <212> TYPE: DNA
```

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/615,606A

Input Set : E:\JULSOYREG.rpt
Output Set: N:\CRF4\02242003\I615606A.raw

<213> ORGANISM: Glycine max
<220> FEATURE:
<223> OTHER INFORMATION: Clone ID: LIB3027-011-Q1-B1-H2
<400> SEQUENCE: 15
gggtatcccc ccagatcaac agaggctcat ctttgctgga aagcaacttg aggatggccg 60
tacccttgct gattacaaca tccagaaaga gtccactctt cacttggtac tccgtctacg 120
tggtggaatg caaatctttg ttaagactct gaccggaaag acaatcaccc ttgaggtgga 180
gagctctgac accattgaca atgttaaggc taagattcaa gacaaagagg gtatccccac 240
agaccaacat aggctcatct ttgctggaaa gcagctagaa gatggccgaa cctttggctg 300
ttacaacatc caaaaagaat ctaccttcca 330
<210> SEQ ID NO: 16
<211> LENGTH: 258
<212> TYPE: DNA
<213> ORGANISM: Glycine max
<220> FEATURE:
<223> OTHER INFORMATION: Clone ID: LIB3027-011-Q1-B1-H4
<400> SEQUENCE: 16
ggctggagct ttgagatcac cccagagaaa aaccccaagc ttcgggactt ggatatcttc 60
ctcagtattg tggatatgaa cgatggagct cttcttctac cacacttcaa ttcaaaggcg 120
atagtgatac tggtaattaa tgaaggagat gcaaacattg aacttgttgg cctaaaagaa 180
caacaacagg agcagcaaca ggaagagcaa cctttggaag tgcggaaata tagagccaaa 240
ttgtctgaag aagatata 258
<210> SEQ ID NO: 17
<211> LENGTH: 113
<212> TYPE: DNA
<213> ORGANISM: Glycine max
<220> FEATURE:
<223> OTHER INFORMATION: Clone ID: LIB3027-011-Q1-B1-H6
<400> SEQUENCE: 17
[illegible] 60
[illegible] 113
<210> SEQ ID NO: 18
<211> LENGTH: 366
<212> TYPE: DNA
<213> ORGANISM: Glycine max

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/09/615,606A

Input Set : E:\JULSOYREG.rpt
Output Set: N:\CRF4\02242003\I615606A.raw

Please Note:
Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:12; N Pos. 411
Seq#:55; N Pos. 275
Seq#:56; N Pos. 23
Seq#:61; N Pos. 60,72
Seq#:65; N Pos. 113
Seq#:66; N Pos. 253
Seq#:73; N Pos. 20
Seq#:76; N Pos. 292,344
Seq#:80; N Pos. 339,348
Seq#:83; N Pos. 74,101,139,177
Seq#:86; N Pos. 362
Seq#:87; N Pos. 337
Seq#:89; N Pos. 232,277,358
Seq#:95; N Pos. 318
Seq#:101; N Pos. 61,62,65
Seq#:107; N Pos. 290
Seq#:146; N Pos. 360
Seq#:151; N Pos. 161
Seq#:156; N Pos. 43,65
Seq#:165; N Pos. 315
Seq#:182; N Pos. 21
Seq#:183; N Pos. 300
Seq#:186; N Pos. 148
Seq#:191; N Pos. 329
Seq#:203; N Pos. 163
Seq#:209; N Pos. 385
Seq#:214; N Pos. 324
Seq#:222; N Pos. 361
Seq#:232; N Pos. 395
Seq#:275; N Pos. 9
Seq#:281; N Pos. 376
Seq#:286; N Pos. 313
Seq#:290; N Pos. 183
Seq#:306; N Pos. 4,184
Seq#:320; N Pos. 370
Seq#:341; N Pos. 24
Seq#:344; N Pos. 154
Seq#:351; N Pos. 452
Seq#:354; N Pos. 240
Seq#:361; N Pos. 248
Seq#:370; N Pos. 368
Seq#:371; N Pos. 472
Seq#:380; N Pos. 468
Seq#:384; N Pos. 44

RAW SEQUENCE LISTING ERROR SUMMARY [illegible]
[illegible]: US/09/615,606A [illegible]

[illegible] : E:\JULSOYREG.rpt
[illegible] : N:\CRF4\02242003\I615606A.raw

Seq#:[illegible]; N Pos. [illegible]
Seq#:[illegible]; N Pos. [illegible]
Seq#:[illegible]; N Pos. [illegible]
Seq#:[illegible]; N Pos. [illegible]
Seq#:[illegible]; N Pos. [illegible]
Seq#:[illegible]; N Pos. [illegible]
Seq#:[illegible]; N Pos. [illegible]

VERIFICATION SUMMARY
PATENT APPLICATION NO: US/09/615,606A

Input Set : E:\JULSOYREG.rpt
Output Set: N:\CRF4\02242003\I615606A.raw

L:1 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:
L:[illegible] M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:4
L:[illegible] M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:
L:[illegible] M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:
M:341 Repeated in SeqNo=[illegible]
L:[illegible] M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:[illegible]
L:1662 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:66 after pos.:[illegible]
L:1706 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:68 after pos.:[illegible]
L:1744 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:70 after pos.:240
M:341 Repeated in SeqNo=70
L:1987 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:80 after pos.:300
L:1981 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:83 after pos.:60
M:341 Repeated in SeqNo=83
L:2035 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:86 after pos.:360
L:2063 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:87 after pos.:300
L:2114 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89 after pos.:180
M:341 Repeated in SeqNo=89
L:2261 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:95 after pos.:300
L:2392 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:101 after pos.:0
M:341 Repeated in SeqNo=101
L:2687 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:107 after pos.:240
L:3447 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:146 after pos.:300
L:3545 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:151 after pos.:120
L:3657 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:156 after pos.:0
M:341 Repeated in SeqNo=156
L:3861 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:165 after pos.:300
L:4211 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:182 after pos.:0
L:4285 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:240
L:4361 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:300
L:4491 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:191 after pos.:300
L:4786 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:203 after pos.:120
L:4939 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:209 after pos.:360
L:5061 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:214 after pos.:300
L:5268 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:222 after pos.:360
L:5509 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:232 after pos.:360
L:6413 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:270 after pos.:0
L:6598 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:281 after pos.:360
L:6674 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:286 after pos.:300
L:6[illegible] M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:[illegible]
L:[illegible]43 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:0
M:341 Repeated in SeqNo=[illegible]
L:[illegible]447 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:360
L:[illegible]427 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:0
L:[illegible]1[illegible] M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:[illegible]
L:[illegible]1[illegible] M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:[illegible]
L:[illegible]1[illegible] M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:240
L:[illegible]431 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:240
L:[illegible]4[illegible] M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:[illegible] after pos.:360

VERIFICATION SUMMARY

PATENT APPLICATION NO: US/09/615,606A

INPUT SET: E:\JULSOYREG.rpt
OUTPUT SET: N:\CRF4\02242003\I615606A.raw